

VIVATEQ Export Price List France








EPL-FR 2017-08
effective 01.11.17




Product Description	Type	Catalog Number	List Price excl. VAT	Info
---------------------	------	----------------	----------------------	------

KNX Devices

KNX Switch and Dimming Actuators

	4 Channel 16A KNX High Power Switch Actuator, DIN-Rail Mount, 250VAC (50/60Hz) 16A per Channel. 4HP	HDL-M/R4.16.1	34MR4161	205,00 €
	8 Channel 16A KNX High Power Switch Actuator, DIN-Rail Mount, 250VAC (50/60Hz) 16A per Channel. 8HP	HDL-M/R8.16.1	34MR8161	320,00 €
	16 Channel 16A KNX High Power Switch Actuator, DIN-Rail Mount, 250VAC (50/60Hz) 16A per Channel. 16HP	HDL-M/R16.16.1	34MR16161	498,00 €
	2 Channel 3A KNX Leading Edge and Trailing Edge Dimming Actuator, DIN-Rail Mount, 220/110 VAC (50/60Hz). 3A per channel, 6A total. Short circuit, internal overheat and overload protection. 12HP	HDL-M/D02.1	34MD021	332,00 €
	4 Channel 1.5A KNX Leading Edge and Trailing Edge Dimming Actuator, DIN-Rail Mount, 220V/110V AC (50/60Hz). 1.5A per channel, 6A total. Short circuit protection, over load protection, over Heat protection. 12HP	HDL-M/D04.1	34MD041	407,00 €
	DALI KNX Master Actuator, DIN-Rail Mount. Connects to up to 64 DALI devices for address assignment and management. Real-time detection of system faults such as DALI fault, lamp fault, ballast fault for each channel and group. Supports Switch ON/OFF, relative dimming, absolute dimming, 1bit and 1byte status response function. 4HP	HDL-M/DALI.1	34MDALI1	407,00 €
	6 Channel 0-10V/10A KNX High Power Switch and Dimming Actuator, DIN-Rail Mount, 220-250VAC(50/60Hz). 6 x 0-10V Output, 6 x 10A Relay. 8HP	HDL-M/DA6.10.1	34MDA6101	453,00 €








KNX Motorized Module / HVAC Modules

	4 Channel 10A Curtain Actuator: DIN-Rail Mount, 220V/110VAC(50/60Hz) 4channel 10A per Channel, 8 high current magnetic Relais. 8HP	HDL-M/W04.10.1	34MW04101	257,00 €
--	--	----------------	-----------	----------

VIVATEQ Export Price List France

EPL-FR 2017-08
effective 01.11.17



Product Description	Type	Catalog Number	List Price excl. VAT	Info
 <p>KNX Fan Coil Actuator for HVAC, DIN-Rail Mount, 250VAC (50/60Hz) 5 Channel 10A Relay output, 2 Channel 0-10V output. Functions: High, Medium and Low Fan speed, Comfortable, Standby, Night, Frost/Heat protection mode, 7 independent channel for floor heating control. 4HP</p>	HDL-M/FCU01.10.1	34MFCU011 01	227,00 €	
<p>KNX Dry Contact and IR Emitter</p>  <p>KNX 4 Channel Dry contact Module. 4 Inputs for temperature sensor TTS/APR 1.0 or other dry contact sensors. 4 outputs DC 0-10V dimming signal or drive the LED status channel.</p>	HDL-M/S04.1	34MS041	97,00 €	
<p>KNX Sensors</p>  <p>KNX In-Ceiling Motion and Lux Sensor. Includes 4 independent logic blocks and 1 combined logic block. Logic condition: AND, OR with condition of motion/LUX sensor, or external conditions . Master-slave mode or single mode.</p>	HDL-M/IS05.1	34MIS051	115,00 €	
 <p>KNX Wall Mount Motion, Lux and Temperature Sensor. Includes 5 independent logic blocks. Logic condition: AND, OR. To be used with Bus Coupler HDL-M/PCI.1</p>	HDL-M/HSIU05.1	34MHSIU051	115,00 €	
<p>KNX iFlex Series Panels</p>  <p>KNX iFlex Series In-Wall Keypad. 4 buttons, EU, replaceable button labels, IR Remote Control (optional)</p>	HDL-M/P02.2-48	34MP02248	109,00 €	
 <p>KNX iFlex Series In-Wall Keypad. 6 buttons, EU, replaceable button labels, IR Remote Control (optional)</p>	HDL-M/P03.2-48	34MP03248	121,00 €	
 <p>KNX iFlex Series In-Wall Keypad. 8 buttons, EU, replaceable button labels, IR Remote Control (optional)</p>	HDL-M/P04.2-48	34MP04248	136,00 €	

In-wall bus coupler and power supply HDL-M/PCI.1 necessary to connect the panels to KNX.

Standard color for HDL Panels is white. Other colors (any PANTONE color) are available at a 5,00 € surcharge per panel and minimum order quantity of 10. Lead time is 4-6 weeks.


VIVATEQ Export Price List France


EPL-FR 2017-08
effective 01.11.17




Product Description	Type	Catalog Number	List Price excl. VAT	Info
---------------------	------	----------------	----------------------	------


KNX Power Supplies for Bus and Panels/Sensors

	KNX Power Supply Module, DIN-Rail Mount: Input: 110-240VAC KNX/EIB Output: 30 VDC, maximum 960mA. Overload and Short-Circuit Protection, with Reset Button. 8HP	HDL-M/P960.1	34MP9601	220,00 €
--	--	--------------	----------	----------

	In-Wall Bus Coupler and Universal Power Supply for DLP Series, iFlex Series, iTouch Series and HDL-M/H5IU05.1 Wall Mount Ultrasonic & PIR Sensor	HDL-M/PCI.1	34MPCI1	60,00 €
--	--	-------------	---------	---------


KNX System Interface/Converter

	KNX IP Router, DIN-Rail Mount, for data connection between the upper KNX net/IP line (main line or backbone) and the lower TP KNX bus line (sub line). It also provides a connection point for ETS to enable commissioning and monitoring. 4HP	HDL-M/IPRT.1	34MIPRT1	648,00 €
--	--	--------------	----------	----------

	KNX USB Interface, DIN-Rail Mount, with USB Connector galvanically isolated from KNX Bus. Bidirectional data connection between PC and KNX BUS for parametrization and diagnosis of bus devices. 4HP	HDL-M/USB.1	34MUSB1	287,00 €
--	--	-------------	---------	----------

HDL Buspro Devices

Buspro Central Processors







	48 Channel Hotel Guest Room Control Unit, DIN-Rail Mount. IP Network Interface to connect to Hotel Management Software. Relay 1-13: 5A, Relay 14-17: 10A, Dimming 18-21: 1A, 24Dry contact, 5 Channel LED Door Bell Output. Scene controller for up to 99 scenes. 12HP	HDL-MHRCU.433	34MHRCU43 3	492,00 €
--	--	---------------	----------------	----------

Bus-enabled Power Supply HDL-MSP750.431 necessary for powering up the processors.

VIVATEQ Export Price List France

EPL-FR 2017-08
effective 01.11.17



Product Description	Type	Catalog Number	List Price excl. VAT	Info
Buspro Switch and Dimming Actuators				
 Buspro 2 Channel 3A Leading Edge and Trailing Edge Dimming Actuator, DIN-Rail Mount, 220/110 VAC (50/60Hz). 3A per channel, 6A total. Short circuit, internal overheat and overload protection. 12HP	HDL-MDT0203.433	34MDT02034 33	359,00 €	
 Buspro 4 Channel 1.5A Leading Edge and Trailing Edge Dimming Actuator, DIN-Rail Mount, 220/110 VAC (50/60Hz). 1.5A per channel, 6A total. Short circuit, internal overheat and overload protection. 12HP	HDL-MDT04015.433	34MDT04015 433	410,00 €	
 Buspro 1 Channel Constant Current Module for TRIAC dimmers (leading and trailing edge dimmers). Clears up the dimming flickering when dimmer is connected to a capacitance load such as LED and electric transformers.	HDL-MCR01A.40	34MCR01A4 0	21,00 €	
 Buspro 4 Channel 16A High Power Switch Actuator, DIN-Rail Mount, 16A per Channel. 50A Magnetic latching relay, with fast connection. Scene and sequence controller. 4HP	HDL-MR0416.431	34MR041643 1	184,00 €	
 Buspro 8 Channel 16A High Power Switch Actuator, DIN-Rail Mount, 16A per Channel. 50A Magnetic latching relay, with fast connection. Scene and sequence controller. 8HP	HDL-MR0816.432	34MR081643 2	302,00 €	
 Buspro 16 Channel 16A High Power Switch Actuator, DIN-Rail Mount, 16A per Channel. 50A Magnetic latching relay, with fast connection. Scene and sequence controller. 16HP	HDL-MR1616.434	34MR161643 4	558,00 €	
 Buspro 8 Channel 10A High Power Switch Actuator, DIN-Rail Mount, 10A per Channel. 50A Magnetic latching relay, with fast connection. Scene and sequence controller. 8HP	HDL-MR0810.432	34MR081043 2	251,00 €	
 Buspro 6 Channel 0-10V/10A High Power Switch and Dimming Actuator, DIN-Rail Mount, 220-250VAC(50/60Hz). 6 x 0-10V Output, 6 x 10A Relay. 8HP	HDL-MRDA0610.432	34MRDA061 0432	350,00 €	

VIVATEQ Export Price List France

EPL-FR 2017-08
effective 01.11.17



Product Description	Type	Catalog Number	List Price excl. VAT	Info
---------------------	------	----------------	----------------------	------

KNX Motorized Module / HVAC Modules



Buspro 2 Channel Motorized Curtain Control Module, DIN-Rail Mount, 5A max per channel. Relay interlocking prevents motor from damage. 4HP

HDL-MW02.431 34MW02431 127,00 €



Buspro Floor Heating Module with timer control, DIN-Rail Mount. Each channel with 0-10V and 1A relay output. Master/slave mode. Inputs for 13 digital sensors. 8HP

HDL-MFH06.432 34MFH06432 254,00 €



Buspro 2.5 Meter Digital Temperature Sensor for Floor Heating Module

TS/C 1.0 34TSC10 9,00 €

Buspro Dry Contacts



Buspro 4 Channel Dry Contact Module with tamper detection. 4 LED outputs for status visualization of inputs. Inputs can be used for door, windows, third party sensors, electrical switches. Perfect addition to security systems.

HDL-MSD04.40 34MSD0440 63,00 €

Buspro Sensors



Buspro Multi-function Sensor, ceiling mount. IR motion sensor, LUX sensor, temperature sensor, IR emitter (built-in storage for 240 IR codes), 2 x dry contact inputs. 20 logic blocks for triggering IR codes.

HDL-MSP08M.4C 34MSP08M4C 106,00 €



Buspro Multi-function Sensor, ceiling mount. Ultrasonic motion sensor, LUX sensor, temperature sensor, 24 logic blocks for event-based triggers through bus line.

HDL-MSPU03.4C 34MSPU034C 118,00 €



Buspro Wall Mount Motion, Lux and Temperature Sensor. Includes 24 independent logic blocks. Logic condition: AND, OR. **To be used with Power Supply HDL-MPPI.48**

HDL-MSPU05.48 34MSPU0548 106,00 €





VIVATEQ Export Price List France

EPL-FR 2017-08
effective 01.11.17



Product Description	Type	Catalog Number	List Price excl. VAT	Info
---------------------	------	----------------	----------------------	------

Buspro iFlex Series Panels

	Buspro iFlex Series In-Wall Keypad. 2 buttons, EU, replaceable button labels, IR Remote Control (optional)	HDL-MP2B.48	34MP2B48	97,00 €	
	Buspro iFlex Series In-Wall Keypad. 4 buttons, EU, replaceable button labels, IR Remote Control (optional)	HDL-MP4B.48	34MP4B48	103,00 €	
	Buspro iFlex Series In-Wall Keypad. 6 buttons, EU, replaceable button labels, IR Remote Control (optional)	HDL-MP6B.48	34MP6B48	115,00 €	
	Buspro iFlex Series In-Wall Keypad. 8 buttons, EU, replaceable button labels, IR Remote Control (optional)	HDL-MP8B.48	34MP8B48	124,00 €	

In-wall bus coupler and power supply HDL-MPPPI.48 necessary to connect panels to Buspro.

Standard color for HDL Panels is white. Other colors (any PANTONE color) are available at a 5,00 € surcharge per panel and minimum order quantity of 10. Lead time is 4-6 weeks.






Buspro Power Supplies for Bus and Panels/Sensors

	Buspro Power Supply Module, DIN-Rail Mount: Input: 110-240VAC HDL Bus Output: 24 VDC, 750 mA. Overload and Short-Circuit Protection. 4HP	HDL-MSP750.431	34MSP750431	103,00 €	
	In-Wall Bus Coupler and Universal Power Supply for DLP Series, iFlex Series, iTouch Series and HDL-MSPU05.48 Wall Mount Ultrasonic & PIR Sensor	HDL-MPPI.48	34MPPI48	39,00 €	
	Buspro FastFix cable 138 mm, supports all module types, including dimmers, sensors, user interfaces, relays, actuators, and controllers	HDL-MCL04P	34MCL04P	6,00 €	New product
	Buspro FastFix cable 206 mm, supports all module types, including dimmers, sensors, user interfaces, relays, actuators, and controllers	HDL-MCL08P	34MCL08P	6,00 €	New product
	Buspro FastFix cable 286 mm, supports all module types, including dimmers, sensors, user interfaces, relays, actuators, and controllers	HDL-MCL12P	34MCL12P	6,00 €	New product
	Buspro FastFix cable 350 mm, supports all module types, including dimmers, sensors, user interfaces, relays, actuators, and controllers	HDL-MCL16P	34MCL16P	6,00 €	New product

VIVATEQ Export Price List France

EPL-FR 2017-08
effective 01.11.17



Product Description	Type	Catalog Number	List Price excl. VAT	Info
Buspro Logic Module/Power Meter				
 <p>Buspro Logic Automation Module, DIN-Rail Mount, 960 blocks, 240 tables, Buspro port, real-time clock. Logic realtions: AND, OR, NAND, NOR. 4HP</p>	HDL-MCLog.431	34MCLOG431	193,00 €	
Buspro Gateways				
 <p>Buspro/IP Gateway, DIN-Rail Mount. Bidirectional data exchange between HDL-Bus and Ethernet for programming as well as iOS/Android control. 4HP</p>	HDL-MBUS01IP.431	34MBUS01IP431	151,00 €	
Drivers for Integration with Third-Party Control Systems				
 <p>Driver for Integration of Buspro Systemes with RTI Control Systems</p>	HDL-Buspro-RTI-Driver	34BUSPRORTIDRIVER	270,00 €	
Buspro Control App				
 <p>Buspro iLife Single Device License for IOS and Android devices. Interactive user interface, easy operation and friendly interface to control lighting, HVAC, Curtain, Music (Integrate with Zone Audio), Energy Saving, Security, IR device control such as TV, DVD</p>	HDL iLife Device License	34ILIFEDEVICELICENSE	free of charge	
 <p>Buspro iLife Multiple Device License for IOS and Android devices. Interactive user interface, easy operation and friendly interface to control lighting, HVAC, Curtain, Music (Integrate with Zone Audio), Energy Saving, Security, IR device control such as TV, DVD</p>	HDL iLife Site License	34ILIFESITELICENSE	free of charge	