

VIVATEQ Export Price List France

EPL-FR 2018-03
effective 01.05.18



| Product Description | Type | Catalog Number | List Price excl. VAT | Info |
|---------------------|------|----------------|----------------------|------|
|---------------------|------|----------------|----------------------|------|

KNX Devices

KNX Switch and Dimming Actuators

| | | | | | |
|--|--|----------------|-----------|----------|------------------------------|
|  | 4 Channel 16A KNX High Power Switch Actuator, DIN-Rail Mount, 250VAC (50/60Hz) 16A per Channel. 4HP | HDL-M/R4.16.1 | 34MR4161 | 205,00 € | |
|  | 8 Channel 16A KNX High Power Switch Actuator, DIN-Rail Mount, 250VAC (50/60Hz) 16A per Channel. 8HP | HDL-M/R8.16.1 | 34MR8161 | 320,00 € | |
|  | 16 Channel 16A KNX High Power Switch Actuator, DIN-Rail Mount, 250VAC (50/60Hz) 16A per Channel. 16HP | HDL-M/R16.16.1 | 34MR16161 | 498,00 € | Discontinued, still in stock |
|  | 2 Channel 3A KNX Leading Edge and Trailing Edge Dimming Actuator, DIN-Rail Mount, 220/110 VAC (50/60Hz). 3A per channel, 6A total. Short circuit, internal overheat and overload protection. 12HP | HDL-M/D02.1 | 34MD021 | 305,00 € | |
|  | 4 Channel 1.5A KNX Leading Edge and Trailing Edge Dimming Actuator, DIN-Rail Mount, 220V/110V AC (50/60Hz). 1.5A per channel, 6A total. Short circuit protection, over load protection, over Heat protection. 12HP | HDL-M/D04.1 | 34MD041 | 356,00 € | |
|  | DALI KNX Master Actuator, DIN-Rail Mount. Connects to up to 64 DALI devices for address assignment and management. Real-time detection of system faults such as DALI fault, lamp fault, ballast fault for each channel and group. Supports Switch ON/OFF, relative dimming, absolute dimming, 1bit and 1byte status response function. 4HP | HDL-M/DALI.1 | 34MDALI1 | 290,00 € | |
|  | 6 Channel 0-10V/10A KNX High Power Switch and Dimming Actuator, DIN-Rail Mount, 220-250VAC(50/60Hz). 6 x 0-10V Output, 6 x 10A Relay. 8HP | HDL-M/DA6.10.1 | 34MDA6101 | 324,00 € | |

VIVATEQ Export Price List France


EPL-FR 2018-03


effective 01.05.18




| Product Description | Type | Catalog Number | List Price excl. VAT | Info |
|---------------------|------|----------------|----------------------|------|
|---------------------|------|----------------|----------------------|------|

KNX Motorized Module / HVAC Modules


| | | | | | |
|--|---|----------------|-----------|----------|--|
|  | 4 Channel 10A Curtain Actuator: DIN-Rail Mount, 220V/110VAC(50/60Hz) 4channel 10A per Channel, 8 high current magnetic Relais. 8HP | HDL-M/W04.10.1 | 34MW04101 | 257,00 € | |
|--|---|----------------|-----------|----------|--|


| | | | | | |
|--|--|----------------------|-----------------|----------|--|
|  | KNX Fan Coil Actuator for HVAC, DIN-Rail Mount, 250VAC (50/60Hz) 5 Channel 10A Relay output, 2 Channel 0-10V output. Functions: High, Medium and Low Fan speed, Comfortable, Standby, Night, Frost/Heat protection mode, 7 independent channel for floor heating control. 4HP | HDL- M/FCU01.10.1 | 34MFCU011 01 | 196,00 € | |
|--|--|----------------------|-----------------|----------|--|

KNX Dry Contact and IR Emitter


| | | | | | |
|---|--|-------------|---------|---------|--|
|  | KNX 4 Channel Dry contact Module. 4 Inputs for temperature sensor TTS/APR 1.0 or other dry contact sensors. 4 outputs DC 0- 10V dimming signal or drive the LED status channel. | HDL-M/S04.1 | 34MS041 | 91,00 € | |
|---|--|-------------|---------|---------|--|


KNX Sensors

| | | | | | |
|--|---|--------------|----------|----------|--|
|  | KNX In-Ceiling Motion and Lux Sensor. Includes 4 independent logic blocks and 1 combined logic block. Logic condition: AND, OR with condition of motion/LUX sensor, or external conditions . Master-slave mode or single mode. | HDL-M/IS05.1 | 34MIS051 | 115,00 € | |
|--|---|--------------|----------|----------|--|

| | | | | | |
|--|---|----------------|------------|----------|---------------------------------|
|  | KNX Wall Mount Motion, Lux and Temperature Sensor. Includes 5 independent logic blocks. Logic condition: AND, OR. To be used with Bus Coupler HDL-M/PCI.1 | HDL-M/HSIU05.1 | 34MHSIU051 | 115,00 € | Discontinued, still in stock |
|--|---|----------------|------------|----------|---------------------------------|

KNX iFlex Series Panels

| | | | | | |
|--|--|----------------|-----------|---------|--|
|  | KNX iFlex Series In-Wall Keypad. 4 buttons, EU, replaceable button labels, IR Remote Control (optional) | HDL-M/P02.2-48 | 34MP02248 | 88,00 € | |
|--|--|----------------|-----------|---------|--|

| | | | | | |
|--|--|----------------|-----------|---------|--|
|  | KNX iFlex Series In-Wall Keypad. 6 buttons, EU, replaceable button labels, IR Remote Control (optional) | HDL-M/P03.2-48 | 34MP03248 | 97,00 € | |
|--|--|----------------|-----------|---------|--|

VIVATEQ Export Price List France

EPL-FR 2018-03

effective 01.05.18



| Product Description | Type | Catalog Number | List Price excl. VAT | Info |
|---------------------|------|----------------|----------------------|------|
|---------------------|------|----------------|----------------------|------|



KNX iFlex Series In-Wall Keypad. 8 buttons, EU, replaceable button labels, IR Remote Control (optional)

HDL-M/P04.2-48 34MP04248 112,00 €

In-wall bus coupler and power supply HDL-M/PCI.1 necessary to connect the panels to KNX.

Standard color for HDL Panels is white. Other colors (any PANTONE color) are available at a 5,00 € surcharge per panel and minimum order quantity of 10. Lead time is 4-6 weeks.

KNX Power Supplies for Bus and Panels/Sensors



KNX Power Supply Module, DIN-Rail Mount: Input: 110-240VAC KNX/EIB Output: 30 VDC, maximum 960mA. Overload and Short-Circuit Protection, with Reset Button. 8HP

HDL-M/P960.1 34MP9601 145,00 €



In-Wall Bus Coupler and Universal Power Supply for DLP Series, iFlex Series, iTouch Series and HDL-M/HSIU05.1 Wall Mount Ultrasonic & PIR Sensor

HDL-M/PCI.1 34MPCI1 55,00 €

KNX System Interface/Converter



KNX IP Router, DIN-Rail Mount, for data connection between the upper KNX net/IP line (main line or backbone) and the lower TP KNX bus line (sub line). It also provides a connection point for ETS to enable commissioning and monitoring. 4HP

HDL-M/IPRT.1 34MIPRT1 648,00 €



KNX USB Interface, DIN-Rail Mount, with USB Connector galvanically isolated from KNX Bus. Bidirectional data connection between PC and KNX BUS for parametrization and diagnosis of bus devices. 4HP

HDL-M/USB.1 34MUSB1 287,00 €

HDL Buspro Devices

Buspro Central Processors



48 Channel Hotel Guest Room Control Unit, DIN-Rail Mount. IP Network Interface to connect to Hotel Management Software. Relay 1-13: 5A, Relay 14-17: 10A, Dimming 18-21: 1A, 24Dry contact, 5 Channel LED Door Bell Output. Scene controller for up to 99 scenes. 12HP

HDL-MHRCU.433 34MHRCU43 3 492,00 €

Bus-enabled Power Supply HDL-MSP750.431 necessary for powering up the processors.

VIVATEQ Export Price List France

EPL-FR 2018-03

effective 01.05.18










| Product Description | Type | Catalog Number | List Price excl. VAT | Info |
|---|------------------|----------------|----------------------|------------------------------|
| Buspro Switch and Dimming Actuators | | | | |
|  Buspro 2 Channel 3A Leadind Edge and Trailing Edge Dimming Actuator, DIN-Rail Mount, 220/110 VAC (50/60Hz). 3A per channel, 6A total. Short circuit, internal overheat and overload protection. 12HP | HDL-MDT0203.433 | 34MDT02034 33 | 359,00 € | |
|  Buspro 4 Channel 1.5A Leadind Edge and Trailing Edge Dimming Actuator, DIN-Rail Mount, 220/110 VAC (50/60Hz). 1.5A per channel, 6A total. Short circuit, internal overheat and overload protection. 12HP | HDL-MDT04015.433 | 34MDT04015 433 | 410,00 € | |
|  Buspro 1 Channel Constant Current Module for TRIAC dimmers (leading and trailing edge dimmers). Clears up the dimming flickering when dimmer is connected to a capacitance load such as LED and electric transformers. | HDL-MCR01A.40 | 34MCR01A4 0 | 21,00 € | |
|  Buspro 4 Channel 16A High Power Switch Actuator, DIN-Rail Mount, 16A per Channel. 50A Magnetic latching relay, with fast connection. Scene and sequence controller. 4HP | HDL-MR0416.431 | 34MR041643 1 | 184,00 € | |
|  Buspro 8 Channel 16A High Power Switch Actuator, DIN-Rail Mount, 16A per Channel. 50A Magnetic latching relay, with fast connection. Scene and sequence controller. 8HP | HDL-MR0816.432 | 34MR081643 2 | 302,00 € | |
|  Buspro 16 Channel 16A High Power Switch Actuator, DIN-Rail Mount, 16A per Channel. 50A Magnetic latching relay, with fast connection. Scene and sequence controller. 16HP | HDL-MR1616.434 | 34MR161643 4 | 558,00 € | Discontinued, still in stock |
|  Buspro 8 Channel 10A High Power Switch Actuator, DIN-Rail Mount, 10A per Channel. 50A Magnetic latching relay, with fast connection. Scene and sequence controller. 8HP | HDL-MR0810.432 | 34MR081043 2 | 242,00 € | |
|  Buspro 6 Channel 0-10V/10A High Power Switch and Dimming Actuator, DIN-Rail Mount, 220-250VAC(50/60Hz). 6 x 0-10V Output, 6 x 10A Relay. 8HP | HDL-MRDA0610.432 | 34MRDA061 0432 | 350,00 € | |

VIVATEQ Export Price List France

EPL-FR 2018-03

effective 01.05.18



| Product Description | Type | Catalog Number | List Price excl. VAT | Info |
|---|---------------|----------------|----------------------|------------------------------|
| KNX Motorized Module / HVAC Modules | | | | |
|  <p>Buspro 2 Channel Motorized Curtain Control Module, DIN-Rail Mount, 5A max per channel. Relay interlocking prevents motor from damage. 4HP</p> | HDL-MW02.431 | 34MW02431 | 127,00 € | |
|  <p>Buspro Floor Heating Module with timer control, DIN-Rail Mount. Each channel with 0-10V and 1A relay output. Master/slave mode. Inputs for 13 digital sensors. 8HP</p> | HDL-MFH06.432 | 34MFH06432 | 254,00 € | |
|  <p>Buspro 2.5 Meter Digital Temperature Sensor for Floor Heating Module</p> | TS/C 1.0 | 34TSC10 | 9,00 € | |
| Buspro Dry Contacts | | | | |
|  <p>Buspro 4 Channel Dry Contact Module with tamper detection. 4 LED outputs for status visualization of inputs. Inputs can be used for door, windows, third party sensors, electrical switches. Perfect addition to security systems.</p> | HDL-MSD04.40 | 34MSD0440 | 63,00 € | |
| Buspro Sensors | | | | |
|  <p>Buspro Multi-function Sensor, ceiling mount. IR motion sensor, LUX sensor, temperature sensor, IR emitter (built-in storage for 240 IR codes), 2 x dry contact inputs. 20 logic blocks for triggering IR codes.</p> | HDL-MSP08M.4C | 34MSP08M4C | 100,00 € | |
|  <p>Buspro Multi-function Sensor, ceiling mount. Ultrasonic motion sensor, LUX sensor, temperature sensor, 24 logic blocks for event-based triggers through bus line.</p> | HDL-MSPU03.4C | 34MSPU034C | 112,00 € | |
|  <p>Buspro Wall Mount Motion, Lux and Temperature Sensor. Includes 24 independent logic blocks. Logic condition: AND, OR. To be used with Power Supply HDL-MPPI.48</p> | HDL-MSPU05.48 | 34MSPU0548 | 106,00 € | Discontinued, still in stock |





VIVATEQ Export Price List France

EPL-FR 2018-03
effective 01.05.18



| Product Description | Type | Catalog Number | List Price excl. VAT | Info |
|---------------------|------|----------------|----------------------|------|
|---------------------|------|----------------|----------------------|------|






Buspro iFlex Series Panels

| | | | | |
|--|--|-------------|----------|----------|
|  | Buspro iFlex Series In-Wall Keypad. 2 buttons, EU, replaceable button labels, IR Remote Control (optional) | HDL-MP2B.48 | 34MP2B48 | 94,00 € |
|  | Buspro iFlex Series In-Wall Keypad. 4 buttons, EU, replaceable button labels, IR Remote Control (optional) | HDL-MP4B.48 | 34MP4B48 | 97,00 € |
|  | Buspro iFlex Series In-Wall Keypad. 6 buttons, EU, replaceable button labels, IR Remote Control (optional) | HDL-MP6B.48 | 34MP6B48 | 112,00 € |
|  | Buspro iFlex Series In-Wall Keypad. 8 buttons, EU, replaceable button labels, IR Remote Control (optional) | HDL-MP8B.48 | 34MP8B48 | 121,00 € |

In-wall bus coupler and power supply HDL-MPPPI.48 necessary to connect panels to Buspro.

Standard color for HDL Panels is white. Other colors (any PANTONE color) are available at a 5,00 € surcharge per panel and minimum order quantity of 10. Lead time is 4-6 weeks.







Buspro Power Supplies for Bus and Panels/Sensors

| | | | | |
|--|---|----------------|-------------|----------|
|  | Buspro Power Supply Module, DIN-Rail Mount: Input: 110-240VAC HDL Bus Output: 24 VDC, 750 mA. Overload and Short-Circuit Protection. 4HP | HDL-MSP750.431 | 34MSP750431 | 103,00 € |
|  | In-Wall Bus Coupler and Universal Power Supply for DLP Series, iFlex Series, iTouch Series and HDL-MSPU05.48 Wall Mount Ultrasonic & PIR Sensor | HDL-MPPI.48 | 34MPPI48 | 39,00 € |
|  | Buspro FastFix cable 138 mm, supports all module types, including dimmers, sensors, user interfaces, relays, actuators, and controllers | HDL-MCL04P | 34MCL04P | 6,00 € |
|  | Buspro FastFix cable 206 mm, supports all module types, including dimmers, sensors, user interfaces, relays, actuators, and controllers | HDL-MCL08P | 34MCL08P | 6,00 € |
|  | Buspro FastFix cable 286 mm, supports all module types, including dimmers, sensors, user interfaces, relays, actuators, and controllers | HDL-MCL12P | 34MCL12P | 6,00 € |

VIVATEQ Export Price List France

EPL-FR 2018-03
effective 01.05.18



| Product Description | Type | Catalog Number | List Price excl. VAT | Info |
|---|--------------------------|----------------------|----------------------|------|
|  <p>Buspro FastFix cable 350 mm, supports all module types, including dimmers, sensors, user interfaces, relays, actuators, and controllers</p> | HDL-MCL16P | 34MCL16P | 6,00 € | |
| Buspro Logic Module/Power Meter | | | | |
|  <p>Buspro Logic Automation Module, DIN-Rail Mount, 960 blocks, 240 tables, Buspro port, real-time clock. Logic realtions: AND, OR, NAND, NOR. 4HP</p> | HDL-MCLog.431 | 34MCLOG431 | 193,00 € | |
| Buspro Gateways | | | | |
|  <p>Buspro/IP Gateway, DIN-Rail Mount. Bidirectional data exchange between HDL-Bus and Ethernet for programming as well as iOS/Android control. 4HP</p> | HDL-MBUS01IP.431 | 34MBUS01IP431 | 151,00 € | |
| Drivers for Integration with Third-Party Control Systems | | | | |
|  <p>Driver for Integration of Buspro Systemes with RTI Control Systems</p> | HDL-Buspro-RTI-Driver | 34BUSPRORTIDRIVER | 270,00 € | |
| Buspro Control App | | | | |
|  <p>Buspro iLife Single Device License for IOS and Android devices. Interactive user interface, easy operation and friendly interface to control lighting, HVAC, Curtain, Music (Integrate with Zone Audio), Energy Saving, Security, IR device control such as TV, DVD</p> | HDL iLife Device License | 34ILIFEDEVICELICENSE | free of charge | |
|  <p>Buspro iLife Multiple Device License for IOS and Android devices. Interactive user interface, easy operation and friendly interface to control lighting, HVAC, Curtain, Music (Integrate with Zone Audio), Energy Saving, Security, IR device control such as TV, DVD</p> | HDL iLife Site License | 34ILIFESITELICENSE | free of charge | |